


Taper Lock Bush

"Why compete against your supplier when you can be our partner"

The Taper Lock Bush is a tried and proven method for fixing a driven device to a shaft. The simple design allows for easy maintenance, it is a simple easy-on, easy-off process.

Finer Power Transmissions stocks a range of items that are used in conjunction with Taper Lock Bushes, including: sprockets, pulleys and couplings.

Taper Lock Bushes come in a variety of bore sizes, in both metric and imperial.



Note: 1008 – 3030 require two screws
3535 – 5050 requires three screws

Taper Lock Bush (metric)

“Australia’s Only
Genuine Wholesaler”

TAPER LOCK BUSH

Finer Power Transmissions P/L | Taper Lock Bush (metric)

Bush	Bore	Keyway (W x D)	App. Kg	Bush	Bore	Keyway (W x D)	App. Kg	Bush	Bore	Keyway (W x D)	App. Kg	Bush	Bore	Keyway (W x D)	App. Kg
1008	12	4 x 1.8	0.13	1610	12	5 x 2.3	0.4	2517	16		1.75	3535	35	10 x 3.3	4.96
	14		0.13		14		0.42		18		1.71		38		4.88
	15		0.13		16		0.41		19		1.66		40	12 x 3.3	4.82
	16	5 x 2.3	0.12		18	6 x 2.8	0.4		20	6 x 2.8	1.62		42		4.76
	18		0.12		19		0.4		22		1.58		45	14 x 3.8	4.67
	19	6 x 2.8	0.1		20		0.39		24	3 x 3.3	1.56		48		4.57
	20		0.1		22		0.38		25		1.56		50		4.5
	22		0.1		24	8 x 3.3	0.36		28		1.5		55	16 x 4.3	4.31
	24	8 x 2.0	0.09		25		0.35		30		1.49		60	18 x 4.4	4.1
	25	3 x 1.3	0.08		28		0.33		32	10 x 3.3	1.46		65		3.88
1108	10	3 x 1.4	0.16	1615	30		0.31	2525	35		1.42	4040	70	20 x 4.9	3.64
	11	4 x 1.8	0.16		32	10 x 3.3	0.29		38		1.35		75		3.38
	12		0.16		35		0.26		40	12 x 3.3	1.31		80	22 x 5.4	3.1
	14	5 x 2.3	0.16		38		0.24		42		1.26		85		2.8
	15		0.15		40	12 x 3.3	0.22		45	14 x 3.8	1.2		90	25 x 5.4	2.49
	16		0.14		42	12 x 2.2	0.2		48		1.14		40	12 x 3.3	10.46
	18	6 x 2.8	0.14		14	5 x 2.3	0.6		50		1.1		42		10.07
	19		0.13		16		0.58		55	16 x 4.3	0.95		45	14 x 3.8	9.77
	20		0.13		18	6 x 2.8	0.56		60	18 x 4.4	0.82		48		9.64
	22		0.12		20		0.54		28	3 x 3.3	2.09		50		9.5
24	8 x 3.3	0.11	22		0.52	30		2.05	55	16 x 4.3	9.25				
25		0.1	24	8 x 3.3	0.5	32	10 x 3.3	2.01	60	18 x 4.4	8.9				
28	8 x 2.0	0.09	25		0.49	35		1.94	65		8.5				
1210	11	4 x 1.8	0.3	2012	28		0.47	3020	38		1.86	4545	70	20 x 4.9	8.2
	12		0.28		30		0.44		40	12 x 3.3	1.8		75		7.7
	14	5 x 2.3	0.28		32	10 x 3.3	0.41		42		1.74		80	22 x 5.4	7.4
	15		0.27		35		0.38		45	14 x 3.8	1.64		85		6.9
	16		0.27		38		0.33		48		1.55		90	25 x 5.4	6.4
	18	6 x 2.8	0.26		40	12 x 3.3	0.31		50		1.48		95		5.95
	19		0.25		42	12 x 2.2	0.28		55	16 x 4.3	1.29		100	28 x 6.4	5.5
	20		0.25		14		0.79		60	18 x 4.4	1.08		55	16 x 4.3	13.2
	22		0.23		15		0.78		24		2.89		60	18 x 4.4	12.9
	24	8 x 3.3	0.22		16		0.78		25	8 x 3.3	2.93		65		12.4
25		0.21	18	6 x 2.8	0.77	28		2.88	70	20 x 4.9	12				
28		0.19	19		0.76	30		2.85	75		11.5				
30		0.17	20		0.76	32	10 x 3.3	2.84	80	22 x 5.4	10.9				
32	10 x 3.3	0.15	22		0.74	35		2.77	85		10.5				
1215	11	4 x 1.8	0.41	2017	24	8 x 3.3	0.73	3030	38		2.71	5050	90	25 x 5.4	9.9
	12		0.4		25		0.71		40	12 x 3.3	2.67		95		9.5
	14	5 x 2.3	0.39		28		0.68		42		2.6		100	28 x 6.4	8.9
	16		0.38		30		0.66		45	14 x 3.8	2.56		105		8.2
	18	6 x 2.8	0.37		32	10 x 3.3	0.64		48		2.47		110		7.4
	19		0.36		35		0.61		50		2.2		70	20 x 4.9	17
	20		0.35		38		0.57		55	16 x 4.3	2.15		75		16.3
	22		0.33		40	12 x 3.3	0.54		60	18 x 4.4	2.07		80	22 x 5.4	15.6
	24	8 x 3.3	0.31		42		0.51		65		1.93		85		15
	25		0.29		45	14 x 3.8	0.47		70	20 x 4.9	1.7		90	25 x 5.4	14.4
28		0.26	48		0.42	75		1.5	95		13.6				
30		0.24	50		0.37	35	10 x 3.3	3.97	100	28 x 6.4	12.9				
32	10 x 3.3	0.22	24			38		3.89	110		11.5				
			25			40	12 x 3.3	3.8	120	32 x 7.4	9.8				
			28			42		3.65	125		8.9				
			30			45	14 x 3.8	3.4							
			32			48		3.5							
			35			50		3.42							
			38			55	16 x 4.30	3.2							
			40			60	18 x 4.4	2.95							
			42			65		2.67							
			45			70	20 x 4.9	2.45							
			50			75		2.1							

Taper Lock Bush (imperial)



"Why compete against your supplier when you can be our partner"

Bush	Bore	Keyway (W x D)	App. Kg	Bush	Bore	Keyway (W x D)	App. Kg	Bush	Bore	Keyway (W x D)	App. Kg	Bush	Bore	Keyway (W x D)	App. Kg
1008	5/16	1/8 x 1/16	0.15	2012	5/8	3/16 x 3/32	0.78	3020	1-1/8	1/4 x 1/8	2.85	4040	1-3/4	3/8 x 3/16	9.77
	3/8		0.15		3/4		0.76		1-1/4		2.84		1-7/8	1/2 x 1/4	9.64
	1/2		0.14		7/8		0.74		1-3/8		2.77		2		9.50
	5/8	3/16 x 3/32	0.12		1	1/4 x 1/8	0.70		1-1/2	3/8 x 3/16	2.71		2-1/8		9.35
	3/4		0.1		1-1/8		0.67		1-5/8		2.60		2-1/4		9.25
	7/8		0.09		1-1/4		0.64		1-3/4		2.56		2-3/8	5/8 x 5/16	8.90
	1	1/4 x 1/16	0.08		1-5/16		0.63		1-7/8	1/2 x 1/4	2.47		2-1/2		8.30
1108	5/16	1/8 x 1/16	0.16		1-3/8	5/16 x 5/32	0.61		2		2.20		2-5/8		8.20
	3/8		0.16		1-1/2	3/8 x 3/16	0.57		2-1/8		2.15		2-3/4		8.10
	1/2		0.16		1-5/8		0.54		2-1/4		2.10		2-7/8	3/4 x 3/8	8.95
	5/8	3/16 x 3/32	0.14		1-3/4		0.47		2-3/8	5/8 x 5/16	2.07		3		7.70
	3/4		0.13		1-7/8	1/2 x 1/4	0.42		2-1/2		1.93		3-1/8		7.40
	7/8		0.12		2	1/2 3/16	0.37		2-5/8		1.93		3-1/4		7.30
	1	1/4 x 1/8	0.1		1				2-3/4		1.70		3-3/8	7/8 x 7/16	6.90
	1 1/8	1/4 x 1/16	0.09	1-1/8			2-7/8	3/4 x 1/4	1.50	3 1/2		6.40			
1210	1/2	1/8 x 1/16	0.28	2017	1-1/4			3		1.45	3-3/4		5.95		
	5/8	3/16 x 3/32	0.27		1-3/8			1-1/4	1/4 x 1/8	4.04	4	1 x 1/4	5.50		
	3/4		0.25		1-1/2			1-3/8	5/16 x 5/32	3.97	2-1/4	1/2 x 1/4	13.20		
	7/8		0.23		1-3/4			1-1/2	3/8 x 3/16	3.89	2-1/2	5/8 x 5/16	12.90		
	1	1/4 x 1/8	0.21		2			1-5/8		3.65	2-5/8		12.40		
	1-1/8		0.19		5/8	3/16 x 3/32	1.75	1-3/4		3.40	2-3/4		12.00		
	1 1/4		0.18	7/8		1.58	1-7/8	1/2 x 1/4	3.50	2-7/8	3/4 x 3/8	11.50			
1215	5/8	3/16 x 3/32	0.38	3/4		1.66	2		3.42	3		10.90			
	3/4		0.35	1	1/4 x 1/8	1.56	2-1/8		3.20	3-1/8		10.70			
	7/8		0.33	1-1/8		1.50	2-1/4		3.00	3-1/4		10.60			
	1	1/4 x 1/8	0.29	1-1/4		1.46	2-3/8	5/8 x 5/16	2.67	3-3/8	7/8 x 7/16	10.50			
	1-1/8		0.26	1-3/8	5/16 x 5/32	1.42	2-1/2		2.45	3-1/2		10.00			
	1-1/4		0.22	1-1/2	3/8 x 3/16	1.35	2-5/8		2.38	3-3/4		9.50			
1610	1/2	1/8 x 1/16	0.44	1-5/8		1.27	2-3/4		2.30	4	1 x 1/2	8.90			
	5/8	3/16 x 3/32	0.41	1-3/4		1.20	2-7/8	3/4 x 1/4	2.20	4-1/8		8.20			
	3/4		0.40	1-7/8	1/2 x 1/4	1.14	3		2.10	4-1/4		7.90			
	7/8		0.38	2		1.10	1-1/4	1/4 x 1/8	6.20	4-1/2		7.40			
	1	1/4 x 1/8	0.35	2-1/8		0.95	1-3/8	5/16 x 5/32	6.50	2-3/4	5/8 x 5/16	17.00			
	1-1/8		0.31	2-1/4		0.82	1-1/2	3/8 3/16	6.60	3	3/4 x 3/8	16.80			
	1-1/4		0.29	2-3/8	5/8 x 3/16	0.69	1-5/8		6.60	3-1/4	7/8 x 7/16	15.50			
	1-3/8	5/16 x 5/32	0.26	2-1/2		0.63	1-3/4		6.25	3-1/2		15.30			
	1-1/2	3/8 x 3/16	0.24	1	1/4 x 1/8	2.15	1-7/8	1/2 x 1/4	6.10	5050	4	1 x 1/2	12.90		
	1-5/8	3/8 x 1/8	0.20	1-1/8		2.09	2		6.00	4-1/4		12.20			
1615	1/2	1/8 x 1/16	0.60	1-1/4		2.01	2-1/8		5.77	4-1/2		10.60			
	5/8	3/16 x 3/32	0.58	1-3/8	5/16 x 5/32	1.94	2-1/4		5.55	5	1-1/4 x 7/16	8.90			
	3/4		0.56	1-1/2	3/8 x 3/16	1.86	2-3/8	5/8 x 5/16	5.45						
	7/8		0.52	1-5/8		1.74	2-1/2		5.35						
	1	1/4 x 1/8	0.49	1-3/4		1.65	2-5/8		5.15						
	1-1/8		0.47	1-7/8	1/2 x 1/4	1.55	2-3/4		4.80						
	1-1/4		0.44	2		1.48	2-7/8	3/4 x 3/8	4.55						
	1-3/8	5/16 x 5/32	0.38	2-1/8		1.29	3		4.45						
	1-1/2	3/8 x 3/16	0.33	2-1/4		1.23	3-1/8		4.25						
	1-5/8	3/8 x 1/8	0.30	2-3/8	5/8 x 3/16	1.17	3-1/4		4.06						
				2-1/2		1.10	3-3/8	7/8 x 1/4	3.63						
						3-1/2		3.50							

TAPER LOCK BUSH

Taper Lock Bush (imperial) | Finer Power Transmissions P/L