

stylus

TAPES INTERNATIONAL
ADHESIVE TAPE SPECIALISTS



www.stylustapes.com.au

Company Profile

Stylus Tapes International is an Australian owned and operated company. Established in 1981, it has grown to become one of the nation's largest importers, convertors and suppliers of pressure sensitive adhesive tape throughout Australia and the South Pacific region. The Stylus distribution network services a broad range of markets and industries. These include packaging, industrial engineering, automotive, film and music, stationery, hardware, building, safety, aeronautical, manufacturing, mining, and many others.

The range of adhesive tapes is both diverse and of the highest quality, which ensures customer satisfaction and confidence. The company, via its extensive distribution network has established itself as a market leader by providing:

- A comprehensive range of products and well recognised brands from some of the world's leading manufacturers.
- An experienced management team with unparalleled expertise and knowledge.
- A high level of service, facilitated by five company operated warehouses (combined capacity of 10,000 square metres) located in all mainland states.
- A strong customer focus driven by a dedicated national sales force coupled with the ability to customise product through an extensive converting and printing facility.



Stylus Tapes - the name in front of these leading brands

Vast array of tapes of the highest quality. Products that we can be proud of carrying our name.

The biggest selling range of packaging tapes in Australia. Providing unsurpassed reliability and quality for over 25 years. Simply the "Finishing Touch".

The Professionals Choice. The standard to which others aspire. The bench mark of all gaffer tapes.

An exceptional range of masking tapes. Enjoying a commanding presence in both automotive and retail markets.

Specialised products for the building and transportation industries. Tapes that serve a wide range of technical applications.

Premium range of stationery and packaging tapes which have been providing consumer satisfaction since 1990.

A comprehensive range of foam sealing tapes. Engineered to meet specific requirements when keeping out air, water, dust, sound etc. Seldom seen - these products are all around us.

Europe's most sophisticated manufacturer of extended liner/fingerlift double sided tapes. Spool/bobbin wound for long run continuous stationery, CD and mailer pouches.



TAPES INTERNATIONAL
ADHESIVE TAPE SPECIALISTS

www.stylustapes.com.au

For more detailed information on any of our products please refer to our website

Contents

	Page		Page
PACKAGING PRODUCTS:		VERY HIGH BOND (double sided):	
1. Packaging Tapes	3	24. Foamed Acrylics	11
2. Printed Stock Message Tapes & Labels	3	25. Solid Acrylics	11
3. Printed Personalised Message Tapes & Labels	3	26. Application Aids	11
4. Filament & Strapping Tapes	4	FOAM SEALING/GASKET TAPES:	
5. Self Adhesive Envelopes	4	27. Single Sided Range	12
6. Dispensers	4	28. Die Cuts	12
GAFFER & CLOTH RANGE:		REFLECTIVE RANGE:	
7. Nashua Gaffer Tapes	5	29. Class 1 - Premium	13
8. Specialised Gaffer Tapes	5	30. Class 2 - Engineering	13
9. Cloth Tapes	5	SAFETY RANGE:	
MASKING & PAPER TAPES:		31. Disposable Gloves	14
10. Masking Tapes	6	32. Safety Tapes	14
11. Pre-Taped Masking Films	6	RETAIL RANGE:	
12. Paper Tapes	6	33. Stationery Tapes	15
AUTOMOTIVE RANGE:		34. Packaging Tapes & Dispensers	15
13. Masking Tapes & Films	7	35. Double Sided Tapes	15
14. Specialty Tapes	7	36. Disposable Gloves	15
15. Disposable Gloves	7	37. Masking Tapes	16
HVAC - AIR CONDITIONING RANGE:		38. Electrical & Duct Tapes	16
16. Duct Tapes	8	39. Cloth Tapes	16
17. Foil Tapes	8	40. Special Application Tapes	16
18. Foam Flange Tapes	8	HOOK & LOOP RANGE:	
DOUBLE SIDED RANGE:		41. Cable Ties	17
19. Adhesive Transfer Tapes	9	42. Cable Wrap	17
20. Double Sided Tapes	9	43. Self Adhesive Hook & Loop Rolls	17
21. Extended Liner/Fingerlift Tapes	9	SPECIALTY TAPES:	
22. Plate/Stereo Mount Tapes	10	44. Surface Protection Tapes	18
23. Double Sided Foam Tapes	10	45. Specialty Application Range	18

PACKAGING PRODUCTS

1. Packaging Tapes

Packaging applications and performance requirements can vary greatly, resulting in Stylus developing a broad range of products to suit them all.

Vibac PP30	Rubber Adhesive – “Australia’s favourite” for over 25 years
Vibac Premium	Rubber Adhesive – Heavy duty grade for more demanding applications
PP50	Rubber Adhesive – Super strength tape
PP202	Rubber Adhesive
PP105	Synthetic Rubber (Hotmelt) Adhesive
Nachi PP101	Acrylic Adhesive
440	PVC Bag Sealing and Colour Coding Tape – Variety of colours available
650	Sticky Tape – Transparent – 66m metre rolls



2. Printed Stock Message Tapes & Labels

SP350	Polypropylene film printed red text on white tape
SP455	PVC film printed black text on fluorescent orange tape
SP101	Polypropylene film printed black text on orange tape
Shipping/Handling Labels	PVC Labels – Perforated labels easy to unwind, tear and stick, no paper to peel off
Dangerous Goods Labels	PVC Labels – Perforated labels easy to unwind, tear and stick, no paper to peel off

Refer to website for all messages and colours



3. Printed Personalised Message Tapes & Labels (multiple colours and sizes can be printed)

Stylus prints logos and/or specific messages on a variety of tapes and labels in sizes to suit every job.

CP350	Polypropylene film – Premium grade suitable for coolroom/ freeze use
CP300	Polypropylene film – General purpose grade
CP250	Polypropylene film – Economy grade
CP440	PVC film – Silent unwind
CP460	VBC film – Eco-friendly grade – Satin finish/write on tape
CP500	PVC Labels – Perforated labels easy to unwind, tear and stick, no paper to peel off




4. Filament & Strapping Tapes

- 185 High Strength Tensilised Strapping/Bundling Tape – Black and Clear
- 801 One Way Filament General Purpose
- 802 Two Way (Crossweave) Filament High Strength/Anti-Burst



5. Self Adhesive Envelopes

- ADM51-IE 140mm x 115mm
"Invoice Enclosed"
- F6 150mm x 115mm
"Invoice Enclosed"
- F2-NP 150mm x 115mm
Plain lope, no print
- ST-7020 150mm x 115mm
"Invoiced Enclosed"
- ST-7021 150mm x 115mm
Plain lope, no print
- ST-7022 165mm x 115mm
Redback "Invoice Enclosed"
- ST-7023 165mm x 115mm
Redback plain lope, no print
- ST-7024 175mm x 125mm
Redback "Invoice Enclosed"
- ST-7027 235mm x 175mm
Redback plain lope, no print



6. Dispensers

- B2/N Stationery Desk - Up to 25mm
- B3 Packing Bench - Up to 50mm
- D2-38 Metal Tear Drop - Fits 38mm
- D2-50 Metal Tear Drop - Fits 50mm
- E7-R Metal Bag Sealer - Up to 12mm
- H11 Pistol Grip - Up to 50mm
- H15 Low Noise Pistol Grip - Up to 50mm
- H1-S Safety Pistol Grip - Up to 50mm
- H100 Pistol Grip - Up to 100mm
- ATG-50 Transfer Gun - Extended Nose
- HT-21 Transfer Gun
- ST-75 Label Tape Bench – Up to 75mm
- ST-150 Label Tape Bench – Up to 150mm



GAFFER & CLOTH RANGE

7. Nashua Gaffer Tapes

- 357 The industry standard and “Professionals Choice”
Original and the best for over 25 years
Colours available: Black, Drab Olive (dark green), Silver and White
- 510 Outdoor Matte Black Gaffer
Weather/UV resistant



8. Specialised Gaffer Tapes

- 511 Premium Neon/Fluoro Gaffer
Four colours to choose from: Green, Orange, Pink and Yellow
- 720 Double sided gaffer tape for short term use in exhibition halls to
adhere carpets – Removes cleanly (short term)
- 210 Hazard Stripe – Yellow and Black
For identifying temporary hazards – 48mm only



9. Cloth Tapes

- 352 Premium Book Binding Grade – Nine colours to choose from
Available in various widths
- 370 General Purpose – Eight colours to choose from
Available in various widths
- 398 Nashua Industrial Grade – Seven colours to choose from - 48mm only
- 360 General Purpose – Display Pack – Small 4.5m rolls - 48mm only
Suitable for everyday use
- 361 General Purpose – Bulk Pack – Small 4.5m rolls - 48mm only
Suitable for everyday use
- 399 General Purpose – Seven colours to choose from
Retail packed – Suitable for everyday use



10. Masking Tapes

- 805 **1 Day** - General Purpose - Suitable for common everyday masking applications
- 833 **3 Day** - Heavy Duty Grade - High adhesion tape for hard to stick to surfaces
- 821 **5 Day** - Contractors Grade - Removes cleanly up to five days indoors
- 835 **14 Day** - Outdoor Grade - UV resistant, removes cleanly up to 14 days outdoors
- 842 **30 Day** - Delicate Surface Grade - Removes cleanly up to 30 days indoors
- 850 **60 Day** - Sharpline Grade - Removes cleanly up to 60 days indoors



Bulk/Trade Pack

- 8801 General Purpose - Suitable for common everyday masking applications
- 813 Heavy Duty Grade - High adhesion tape for those hard to stick to surfaces
- 8811 Automotive Grade - OEM and aftermarket oven bake masking
- 848 Supreme High Temperature Grade - Suitable for fibreglassing applications
- MSK-180 High Temperature Polyester film - Suitable for powder coat masking and silicone splicing applications
- SP743 Photographic Matte Black - Pinhole free



11. Pre-Taped Masking Films

A retail packaged range of pre-assembled automotive grade masking tape and film.

Film comes with static cling and is corona treated to prevent paint flaking.

- TM550 550mm drop sheet – Dispenser and refill pack
- TM1200 1200mm drop sheet – Dispenser and refill pack
- TM1800 1800mm drop sheet – Dispenser and refill pack
- TM2700 2700mm drop sheet – Dispenser and refill pack

Outdoor Grade

- TM1100 1100mm drop sheet – Dispenser and refill pack



12. Paper Tapes

- 250 Rope Stock
Extreme high tack for demanding applications
- 260 Silicone Kraft
Carpet layer tape and as “bond breaker tape”
- 270 Flat back
Picture framers tape
Acid free (pH neutral adhesive)



AUTOMOTIVE RANGE

13. Masking Tapes & Films

- 179 Blue PVC Fineline – High temperature oven grade
- 835 14 Day Wetsanding Grade
UV stable adhesive suitable for outdoor applications
- 848 Supreme High Temperature Grade – Suitable for bake ovens
- 8811 Automotive Grade – Suitable for bake ovens
- TM550 Premium Grade film with Auto mask
550mm drop sheet – Dispenser and refill pack
- TM1200 Premium Grade film with Auto mask
1200mm drop sheet – Dispenser and refill pack
- TM1800 Premium Grade film with Auto mask
1800mm drop sheet – Dispenser and refill pack
- TM2700 Premium Grade film with Auto mask
2700mm drop sheet – Dispenser and refill pack
- AS-487 Autosheet masking film opens out to 4.8m wide
Oven grade and corona treated to prevent paint flaking



14. Specialty Tapes

- 860-10 Trimstik
Used for pulling back rubber window trims before painting
- 4010 Seamseal
Applied by hand like putty, requires no priming
- 5589 Bodymold – Black – 0.80mm thick
General purpose polyethylene foam
- 5608 Bodymold – Black – 0.80mm thick
Performance grade high bond foamed acrylic
- 5611 Bodymold – Black – 1.10mm thick
Performance grade high bond foamed acrylic
- 5311 Bodymold – Translucent – 1.14mm thick
Premium grade very high bond acrylic
- 5711 Bodymold – White – 1.00mm thick
Premium grade high bond foamed acrylic



15. Disposable Gloves

- Latex Cream – AQL 1.5 Rating
- Nitrile Blue – AQL 1.5 Rating



HVAC - AIR CONDITIONING RANGE

16. Duct Tapes

- 550/13 Sealing and Joining Tape
Silver and Black – 48mm
- 575/13 Sealing and Joining Tape
Silver – 72mm
- 4430 Sealing and Joining Tape
Silver – 48mm
- 550/14 Premium quality
Silver – 48mm
- 550/16 Heavy Duty
Silver – 48mm




17. Foil Tapes

- 902 Plain Aluminum Foil
Vapor seal/moisture barrier tape
- 973 Reinforced Aluminum Foil (Approval: AS/NZS 1530.3-1999)
Lagging tape – High strength foil that can be torn by hand
Can be custom cut to various widths



18. Foam Flange Tapes

- 3829 Grey Polyethylene Linerless Foam
5mm thick
- 9105 Grey Polyethylene Foam
5mm thick
- 3207/6.4 Grey PVC Foam
6.4mm thick
- 3824 White Polyethylene Linerless Foam
5mm thick



DOUBLE SIDED RANGE

19. Adhesive Transfer Tapes

- T001 General Purpose Grade – Recommended dispenser ATG-50
- T002 High Tack Grade – Recommended dispenser ATG-50
- T003 Removable Grade – Recommended dispenser HT-21
- 9140 Premium Grade hand applied
- 9150 High Tack hand applied



20. Double Sided Tapes

- 720 High Tack Premium Grade Cloth
Coated with natural rubber adhesive
- 730 Permanent bonding tissue
Coated with natural rubber adhesive
- 740 Permanent bonding tissue
Coated with acrylic adhesive acid free (pH neutral)
- 745 Permanent bonding tissue
Coated with acrylic adhesive
- 765 Permanent bonding clear polyester film
Coated with high tack acrylic adhesive
- 770 Permanent bonding PVC film
Coated with high tack acrylic adhesive
- 4181 Resealable translucent polyester film
Coated with permanent adhesive one side and removable the other



21. Extender Liner/Fingerlift Tapes

- DST/F Permanent bonding tissue on printed paper liner
Suitable for paper and cardboard
- 1431/F Permanent bonding adhesive transfer on printed paper liner
Suitable for paper
- 1811/F Permanent bonding adhesive transfer on printed paper liner
Suitable for paper and PE film
- 4181/F Resealable film on printed paper liner
Coated with permanent one side and removable the other
- 4123/F Permanent bonding OPP film on heat cuttable plastic liner
Suitable for LDPE and HDPE films
- BST/F Resealable clear OPP film on heat cuttable plastic liner
Suitable for LDPE plastic films



22. Plate/Stereo Mount Tapes


- 781/10 Removable transparent PVC film – 4 thou
- 781/20 Removable transparent PVC film – 8 thou
- 781/30 Removable transparent PVC film – 12 thou



23. Double Sided Foam Tapes

Selecting the correct product is crucial to success, from colonial bars, mirror mounting or commercial glazing suites, there is a Stylus double sided foam tape for every application.

- 2010 Polyethylene - White
General purpose grade for indoor mounting applications
1.00mm thick
- 2132 Polyethylene - White
Profile mounting - High shear strength for indoor uses
0.80mm thick
- 2116 Polyethylene - White
Mirror mounting - High shear strength for indoor uses
1.52mm thick
- 2108 Polyethylene - White
Mirror mounting - High shear strength for indoor uses
3.20mm thick
- 5139 PVC - Black
Spacer Glazing Tape – For permanent seal
(various thicknesses)
- 5200 Polyurethane - Black
Structural Glazing Tape – For permanent seal
(various thicknesses)
- 5589 Polyethylene - Black
General purpose grade for outdoor mounting applications
0.80mm thick
- 4030 Polyethylene - White
Retail packed – Short roll version of 2010
1.00mm thick



VERY HIGH BOND (double sided)

24. Foamed Acrylics (various thicknesses and widths available)

This section bridges the gap between general purpose double sided foams and high performance solid acrylic in the section below.

Commonly used in construction, sheet metal fabrication and train; truck and bus manufacture to replace or reduce the use of mechanical fasteners.

If you have never seen what it can do ask for a demonstration.

- 5600 Black
High tack, suitable for outdoor applications
- 5700 White
Cold temperature (can be applied at 0°C), suitable for outdoor applications
- 4040 Grey
Retail packed – Short roll version of 5600 – 1.00mm thick



25. Solid Acrylics (various thicknesses and widths available)

This section represents the pinnacle of double sided tapes, commonly used in construction, sheet metal fabrication and train, truck and bus manufacture to replace or reduce the use of mechanical fasteners.

If you have never seen what it can do ask for a demonstration.

- 5300 Translucent
High performance for the most demanding situation
Suitable for outdoor applications
- 5400 Crystal Clear
High performance ideal for glass and acrylic
Suitable for outdoor applications
- 4050 Crystal Clear
Retail packed – Short roll version of 5400 – 1.00mm thick



26. Application Aids

No two surfaces are the same. Most require cleaning with **IPA** prior to tape application. Some also need to be primed with **AP-1** as their surface energy value is too low to be able to achieve a functional bond between surface and adhesive.

See “Surface Preparation” tab on website for more detailed information.

- AP-1 Adhesion Promoter/Primer
Improves adhesive bond to low surface energy substrates
- IPA Isopropyl Alcohol Surface Cleaning Solution
Refer to surface preparation tips on website



27. Single Sided Range (various thicknesses & widths available)

Foam sealing applications and performance requirements are many and varied, most of our foams come in six thicknesses and up to 1200mm wide. Show us the application and we will have the foam to seal the deal.

Ideal for creating long term waterproof seals, vibration dampening uses.

- 3024 PVC – White Med Density
For excluding draughts or protecting greenhouse films
- 3207 PVC – Grey Soft Density
Low density foam easily conforms to irregular surfaces
- 3209 PVC – Black Soft Density
Low density foam easily conforms to irregular surfaces
- 3257 PVC – Grey Medium Density
Slightly firmer version for narrow width applications
- 3259 PVC – Black Medium Density
Slightly firmer version for narrow width applications
- 3507 PVC – Grey Hard Density
Heavy duty foam suitable for many demanding applications
- 3509 PVC – Black Hard Density
Heavy duty foam suitable for many demanding applications
- 3824 Polyethylene – White (Linerless)
Anti noise “purlin/roofing tape”
- 3829 Polyethylene – Grey Medium Density (Linerless)
Multi use general purpose foam
- 6100 Neoprene – Black Medium Density
High performance rubber for creating weather seals
- 7100 Polyurethane Open Cell – Grey Soft Density
For creating dust and insect barriers
- 8100 PVC/Nitrile – Black Medium Density
Economy grade for creating weather seals
- 9100 Polyethylene – Grey Medium Density
Multi use general purpose foam



28. Die Cuts

Stylus offers a wide variety of tapes that can be custom cut to any shape or profile for use as a gasket or pad to aid in the assembly or marketing of your product. Die cuts can be supplied in various forms from loose pieces to kiss cut on the roll.

Please contact your representative for further information on these convenient options.




REFLECTIVE RANGE

29. Class 1 - Premium

Provides close to three times more reflectivity and more angularity than Class 2. These features make it suitable for use on road works sign, heavy vehicle markers, mining vehicles and road signs in disadvantaged locations or black spot areas. Conforms to AS/NZS 1906.1:2007.

- 2900 Polyester – High intensity prismatic
Solid colours
For identifying hazards
- 2902 Polyester – High intensity prismatic
Hazard stripe colours
50mm diagonal chevron
- 2903LH Polyester – High intensity prismatic
Hazard stripe colours
75mm left hand diagonal chevron
- 2903RH Polyester – High intensity prismatic
Hazard stripe colours
75mm right hand diagonal chevron



30. Class 2 - Engineering

Glass bead technology, this product is suited for use on rear marker plates on vehicles (ADR 45 level), service signs, parking signs, guide signs and route markers. Conforms to AS/NZS 1906.1:2007

- 2800 Polyester – High visibility grade
Solid colours
For identifying hazards
- 2802 Polyester – High visibility grade
Hazard stripe colours
50mm diagonal chevron
- 2803LH Polyester – High visibility grade
Hazard stripe colours
75mm left hand diagonal chevron
- 2803RH Polyester – High visibility grade
Hazard stripe colours
75mm right hand diagonal chevron
- 2805 Polyester – High visibility conspicuity grade
Hazard colours
150mm rectangular chevron



Application Tips

Surface preparation forms an integral part in the successful and long term performance of Class 1 and Class 2 Reflective. Please refer to section 26 on page 11 relating to application aids and see the website for more detailed information.

31. Disposable Gloves (various sizes available)

Vinyl	Clear AQL 1.5 Rating Economy grade for hospitality and janitorial
Vinyl	Blue AQL 1.5 Rating Economy grade for hospitality/janitorial/food service industry
Latex	Cream AQL 1.5 Rating Examination grade offering increased feel (fits like a second skin)
Nitrile	Blue AQL 1.5 Rating Industrial grade super tough/nick resistant glove



32. Safety Tapes

210	Cloth Hazard Stripe Yellow/Black Removable tape for use in short term/temporary applications Can be torn by hand
471	PVC Indoor Floor Marking Solid colours Marking out sports courts/warehouses
471	PVC Indoor Safety/Warning Tape Various hazard stripe colours For identifying hazards and emergency zones
2660	Anti-Slip (exceeds AS/NZS: 4586:2004) Available in solid and diagonal hazard stripe colours Greatly reduces chances of slipping in high risk areas
2660	Anti-Slip Mats (exceeds AS/NZS: 4586:2004) Various styles ideal for stair treads warehouse entry/exit areas Individually bagged and pre-cut to 605mm x 115mm
2770	Barricade Tape (non adhesive) – Red/White and Yellow/Black For identifying temporary hazardous/restricted zones
2825	Glowbrite Glow in the dark tape Used to illuminate paths, exit doors, stairs, hand rails and location markers

Application Tips

Surface preparation forms an integral part in the successful and long term performance of these products. Please refer to section 26 on page 11 relating to application aids and see the website for more detailed information.



RETAIL RANGE

33. Stationery Tapes

- 620 Crystal Clear
Large 66m rolls
Consumer satisfaction since 1990
- 630 Crystal Clear
Small 33m rolls
Consumer satisfaction since 1990
- Ice Invisible
33m and 66m rolls available
Invisible when photocopied



34. Packaging Tapes & Dispensers

- 505 1 roll pack – General purpose grade suitable for common everyday applications
- 506 Twin roll pack – General purpose grade suitable for common everyday applications
- 101R 6 roll pack – General purpose grade suitable for common everyday applications
- PP30R 1 roll pack – Premium grade Vibac for more demanding everyday applications
- PP30R 6 roll pack – Premium grade Vibac for more demanding everyday applications
- H11 Pistol Grip - Up to 50mm
- H15 Low Noise Pistol Grip - Up to 50mm
- H1-S Safety Pistol Grip - Up to 50mm



35. Double Sided Tapes

- 722 Polypropylene – White
Suitable for common light weight indoor mounting applications
- 4030 PE Foam – White – Mirror mounting
High shear strength for indoor uses – 1.00mm thick
- 4040 Foamed Acrylic – Grey – Permanent mounting
High bond/high tack foamed acrylic for outdoor uses – 1.00mm thick
- 4050 Solid Acrylic – Crystal Clear – Permanent mounting
High bond/high tack tape acrylic for outdoor uses – 1.00mm thick
- 5589 Polyethylene – Black
General purpose grade for outdoor mounting applications - 0.80mm thick



36. Disposable Gloves

- Vinyl Clear – AQL 1.5 Rating
Economy grade for hospitality and janitorial
- Vinyl Blue – AQL 1.5 Rating
Economy grade for hospitality/janitorial/food service industry
- Latex Cream – AQL 1.5 Rating
Examination grade offering increased feel (fits like a second skin)
- Nitrile Blue – AQL 1.5 Rating
Industrial grade super tough/nick resistant glove



37. Masking Tapes

- 179 Blue PVC Finline – Suitable for airbrushing and jobs that require tape to be applied around bends or curves
- 805 **1 Day** - General Purpose – Suitable for common everyday masking applications
- 833 **3 Day** - Heavy Duty Grade – High adhesion tape for those hard to stick to surfaces
- 821 **5 Day** - Contractors Grade – Removes cleanly up to 5 days indoors
- 835 **14 Day** - Outdoor Grade – UV stable, removes cleanly up to 14 days outside
- 842 **30 Day** - Delicate Surface Grade – Removes cleanly up to 30 days indoors
- 850 **60 Day** - Sharpline Grade – Removes cleanly up to 60 days indoors



38. Electrical & Duct Tapes

- 500 Electrical Insulation Tape – Display Pack – Suitable for everyday use
- 520 Electrical Insulation Tape – Bulk Pack – Suitable for everyday use
- 550/11 Utility Sealing and Joining Builders Tape – Silver only
- 550/13 Sealing and Joining Tape – Silver and Black
- 575/13 Sealing and Joining Tape – Silver only
- 4430 Sealing and Joining Tape – Silver only
- 550/14 Premium quality – Silver only
- 550/16 Heavy Duty – Silver only



39. Cloth Tapes

- 210 Hazard Stripe – Yellow and Black – Used to identify temporary hazards
- 357 Gaffer – “The Professionals Choice” – Original and the best for over 20 years
- 360 General Purpose – Display Pack – Small 4.5m rolls – Suitable for everyday use
- 361 General Purpose – Bulk Pack – Small 4.5m rolls – Suitable for everyday use
- 399 General Purpose – Seven colours to choose from – Suitable for everyday use



40. Special Application Tapes

- 386 Self Fusing Silicone Tape
Black and Clear
Temporary repair/rescue tape
- 2661 Anti-Slip
Various colours
Greatly reduces chances of slipping in high risk areas



HOOK & LOOP RANGE

41. Cable Ties (re-closable up to 5,000 times)

- 3417 Self gripping and re-usable
Heavy duty grade offering superior/adjustable closure over a long life cycle
Suitable for internal and external uses
Ideal for wrapping around cords/leads/network cables etc
Available in a variety of sizes and colours



42. Cable Wrap (re-closable up to 5,000 times)

- 3419 Self gripping and re-usable
Heavy duty grade offering superior/adjustable closure over a long life cycle
Suitable for internal and external uses
Can be mechanically fixed by: riveting, screwing or stapling
Available in a variety of sizes and colours
- 3420 As above but in continuous roll form allowing you to cut to your desired length
Available in a variety of sizes and colours



43. Self Adhesive Hook & Loop Rolls

- Suitable for sticking to a variety of surfaces
Easy to use and apply – simply press and stick
Can be cut to any desired length
Available in a variety of sizes and colours

- 3421 Hook in continuous roll form. Will anchor itself to various kinds of loop materials from fabrics to carpet etc
- 3422 Loop in continuous roll form



44. Surface Protection Tapes

Commonly used for protecting surfaces from damage during the building and/or assembly process. Available in a wide variety of widths up to 1250mm.

- 2923 Polyethylene Film – Black
Suitable for outdoor applications – Removes cleanly
- 8511 PVC Film – Blue
Suitable for indoor applications – Removes cleanly
- 8518 PVC Film – Black
Suitable for outdoor applications – Removes cleanly



45. Special Application Range

For all those out of the ordinary applications we have developed an extremely diverse range of highly specialised tapes that offer solutions or protection from a host of problems experienced across many industries and applications.

- 1510 UHMW – Translucent
Slick surface guide tape
- 1615 PTFE – Brown Glass Cloth
Heat bar/seam sealer tape
- 2420 Napped Silicone “Pimple Tape”
- 2501 Self Amalgamating PIB
For data and low voltage cable joining, insulation and waterproofing
- 2517 Self Amalgamating EPR
For high voltage cable joining, insulation and waterproofing
- 2907 Polyethylene – Black
Electrolysis barrier/isolation tape
- 2933 Polyethylene – Clear
Outdoor repair/green house tape
- 8300 Polyurethane – Clear
UV stable surface protection tape
For leading edges, racing industry and sports equipment
- 9100FR Polyurethane – Clear
Moisture barrier with flame retardant properties and high puncture resistance
- DW204-3 PTFE – Brown Skived Film
Extremely high temperature masking tape
- MSK-180 Polyester film - Green
Suitable for high temperature masking and silicone splicing



Disclaimer

All the information contained in this catalogue is given in good faith for guidance only and not specification purposes. All data is based upon average values, the Purchaser shall be responsible for determining the suitability of the product for their purposes.



TAPES INTERNATIONAL
ADHESIVE TAPE SPECIALISTS

Australian owned, local efficient deliveries from
warehouses in all mainland states coupled
with experienced staff and sales force

Sydney Head Office & Factory

111-121 Warren Road
Smithfield NSW 2164
PO Box 7124
Wetherill Park NSW 2164
P 02 9632 9400 F 02 9632 9433
E sales@stylustapes.com.au

Melbourne

P 03 9583 2400 F 03 9583 0922
E vic@stylustapes.com.au

Brisbane

P 07 3276 7011 F 07 3276 7455
E qld@stylustapes.com.au

Adelaide

P 08 8241 5239 F 08 8241 5268
E sa@stylustapes.com.au

Perth

P 08 9303 4160 F 08 9303 4260
E wa@stylustapes.com.au

Darwin

P 08 8241 5239 F 08 8241 5268
E sa@stylustapes.com.au

Tasmania

P 03 9583 2400 F 03 9583 0922
E vic@stylustapes.com.au

Export

P 02 9632 9400 F 02 9632 9433
E sales@stylustapes.com.au

