


# Compression Springs



Part No.	Description	O/A Length	O.D.	Wire DIA	Total Coils	No. per pack
* CSWCS2	Compression Spring	12.7	3.97	0.80	9.75	3
* CSWCS1	Compression Spring	12.7	6.35	0.63	6.25	3
* CSWCS3	Compression Spring	12.7	8.73	0.80	6.00	3
* CSWCS5	Compression Spring	12.7	10.32	1.00	5.00	3
* CSWCS4	Compression Spring	15.9	3.97	0.28	7.75	3
* CSWCS15	Compression Spring	15.9	8.00	0.63	5.25	3
* CSWCS17	Compression Spring	19.0	8.00	0.80	6.75	3
* CSWCS19	Compression Spring	19.0	9.35	0.80	6.00	3
* CSWCS96	Compression Spring	19.0	11.10	0.71	5.00	2
* CSWCS164	Compression Spring	19.0	15.90	1.00	3.73	1
* CSWCS11	Compression Spring	20.6	6.35	0.56	9.00	3
* CSWCS13	Compression Spring	20.6	8.00	0.56	7.50	3
* CSWCS21	Compression Spring	20.6	10.32	1.00	7.25	3
* CSWCS20	Compression Spring	22.2	6.35	1.00	9.25	3
* CSWCS6	Compression Spring	25.4	3.97	0.28	11.50	3
* CSWCS18	Compression Spring	25.4	9.53	0.56	5.00	3
* CSWCS7	Compression Spring	25.4	3.97	0.71	20.25	3
* CSWCS8	Compression Spring	25.4	4.76	0.50	12.75	3
* CSWCS9	Compression Spring	25.4	5.56	0.71	13.24	3
* CSWCS10	Compression Spring	25.4	5.56	0.50	10.00	3
* CSWCS12	Compression Spring	25.4	5.56	0.40	8.00	3
* CSWCS69	Compression Spring	25.4	6.35	0.63	10.75	3
* CSWCS16	Compression Spring	25.4	8.00	0.40	5.25	3
* CSWCS14	Compression Spring	25.4	6.35	0.50	8.25	3
* CSWCS93	Compression Spring	25.4	8.73	0.10	9.00	2
* CSWCS97	Compression Spring	25.4	11.10	1.25	8.24	2
* CSWCS189	Compression Spring	25.4	12.70	1.60	9.50	1
* CSWCS192	Compression Spring	25.4	15.90	2.00	4.75	1
* CSWCS193	Compression Spring	25.4	19.00	2.00	5.00	1
* CSWCS87	Compression Spring	30.2	6.35	0.63	12.00	2
* CSWCS89	Compression Spring	30.2	10.32	1.00	9.50	2
* CSWCS71	Compression Spring	31.8	3.97	0.90	21.00	3
* CSWCS90	Compression Spring	31.8	8.00	1.00	12.00	2
* CSWCS194	Compression Spring	31.8	17.50	2.24	6.25	1
* CSWCS191	Compression Spring	35.0	14.30	1.80	8.25	1
* CSWCS70	Compression Spring	35.0	3.97	0.71	27.75	3
* CSWCS84	Compression Spring	35.0	4.76	0.50	16.75	3
* CSWCS72	Compression Spring	35.0	4.76	0.71	11.25	3
* CSWCS83	Compression Spring	35.0	5.56	0.50	13.50	3
* CSWCS85	Compression Spring	35.0	6.35	0.50	10.75	3
* CSWCS86	Compression Spring	35.0	6.35	0.90	17.25	2
* CSWCS88	Compression Spring	35.0	7.14	0.71	14.75	2
* CSWCS91	Compression Spring	35.0	8.00	0.80	13.00	2
* CSWCS95	Compression Spring	35.0	12.70	1.40	9.50	2
* CSWCS108	Compression Spring	38.1	6.35	0.63	20.00	2
* CSWCS92	Compression Spring	38.1	8.00	0.56	10.00	2
* CSWCS109	Compression Spring	38.1	8.00	0.90	18.50	2
* CSWCS110	Compression Spring	38.1	9.53	0.71	10.25	2
* CSWCS190	Compression Spring	38.1	12.70	1.00	8.00	1
* CSWCS163	Compression Spring	38.1	15.90	1.00	5.75	1
* CSWCS94	Compression Spring	41.3	8.00	1.00	15.50	2


\* indicates items standard to the display stands

CSW Products reserves the right to add, amend, or delete sizes without notice.

Tel: +61 3 9729 4700 • Facsimile: +61 3 9729 8744

e-mail: [csw@cswproducts.com.au](mailto:csw@cswproducts.com.au) • website: <http://www.cswproducts.com.au>

# Compression Springs



Part No.	Description	O/A Length	O.D.	Wire DIA	Total Coils	No. per pack
* CSWCS229	Compression Spring	41.3	19.90	3.15	10.25	1
* CSWCS98	Compression Spring	44.5	3.18	0.35	31.00	2
* CSWCS99	Compression Spring	44.5	3.97	0.40	23.50	2
* CSWCS105	Compression Spring	44.5	4.76	0.40	17.50	2
* CSWCS100	Compression Spring	44.5	4.76	0.71	28.0	2
* CSWCS107	Compression Spring	44.5	6.35	0.50	13.50	2
* CSWCS106	Compression Spring	44.5	6.35	0.90	21.75	2
* CSWCS111	Compression Spring	44.5	8.00	1.00	18.00	2
* CSWCS113	Compression Spring	44.5	8.73	1.00	14.25	2
* CSWCS115	Compression Spring	44.5	10.20	1.00	15.00	2
* CSWCS197	Compression Spring	44.5	12.70	1.60	13.75	1
* CSWCS117	Compression Spring	44.5	15.90	1.60	9.00	1
* CSWCS230	Compression Spring	47.6	22.23	2.80	7.25	1
* CSWCS116	Compression Spring	50.8	8.00	1.40	19.75	1
* CSWCS112	Compression Spring	50.8	8.73	1.00	15.00	2
* CSWCS160	Compression Spring	50.8	9.35	1.00	14.75	1
* CSWCS162	Compression Spring	50.8	9.35	1.25	22.75	1
* CSWCS196	Compression Spring	50.8	10.32	1.25	20.25	1
* CSWCS199	Compression Spring	50.8	11.10	1.40	17.25	1
* CSWCS195	Compression Spring	50.8	11.10	1.80	16.25	1
* CSWCS198	Compression Spring	50.8	12.70	1.25	15.00	1
* CSWCS200	Compression Spring	50.8	12.70	1.80	14.00	1
* CSWCS225	Compression Spring	50.8	19.00	2.00	9.25	1
* CSWCS231	Compression Spring	50.8	22.23	3.15	10.00	1
* CSWCS226	Compression Spring	50.8	23.80	2.00	7.00	1
* CSWCS159	Compression Spring	54.0	8.73	1.00	18.00	1
* CSWCS161	Compression Spring	54.0	10.32	1.00	17.75	1
* CSWCS114	Compression Spring	54.0	11.10	0.80	11.00	2
* CSWCS165	Compression Spring	55.6	12.70	1.00	13.00	1
* CSWCS234	Compression Spring	55.6	19.90	2.80	9.50	1
* CSWCS233	Compression Spring	55.6	22.23	2.50	8.75	1
* CSWCS201	Compression Spring	60.3	14.30	2.00	15.25	1
* CSWCS271	Compression Spring	60.3	39.70	3.55	5.50	1
* CSWCS204	Compression Spring	63.5	11.90	1.40	20.00	1
* CSWCS203	Compression Spring	63.5	12.70	1.60	19.50	1
* CSWCS235	Compression Spring	63.5	19.00	2.80	15.50	1
* CSWCS238	Compression Spring	63.5	25.40	2.80	10.50	1
* CSWCS272	Compression Spring	63.5	35.00	3.55	8.00	1
* CSWCS206	Compression Spring	65.1	15.90	1.40	14.00	1
* CSWCS270	Compression Spring	65.1	30.20	3.15	8.00	1
* CSWCS202	Compression Spring	69.9	10.32	1.25	27.75	1
* CSWCS207	Compression Spring	69.9	15.90	1.60	12.00	1
* CSWCS237	Compression Spring	69.9	23.00	2.80	14.00	1
* CSWCS282	Compression Spring	69.9	30.20	3.15	10.00	1
* CSWCS205	Compression Spring	76.2	12.70	1.25	25.75	1
* CSWCS232	Compression Spring	76.2	14.30	1.40	18.25	1
* CSWCS227	Compression Spring	76.2	17.50	1.25	13.00	1
* CSWCS240	Compression Spring	76.2	19.90	2.00	12.00	1
* CSWCS247	Compression Spring	76.2	22.23	2.80	16.00	1
* CSWCS242	Compression Spring	76.2	25.40	2.50	10.00	1


\* indicates items standard to the display stands

CSW Products reserves the right to add, amend, or delete sizes without notice.

Tel: +61 3 9729 4700 • Facsimile: +61 3 9729 8744

e-mail: [csw@cswproducts.com.au](mailto:csw@cswproducts.com.au) • website: <http://www.cswproducts.com.au>

# Compression Springs



Part No.	Description	O/A Length	O.D.	Wire DIA	Total Coils	No. per pack
* CSWCS281	Compression Spring	76.2	25.4	3.15	13.24	1
* CSWCS239	Compression Spring	79.4	14.30	1.60	15.00	1
* CSWCS241	Compression Spring	79.4	15.90	1.40	14.50	1
* CSWCS243	Compression Spring	79.4	17.50	1.60	15.00	1
* CSWCS246	Compression Spring	79.4	19.00	2.24	14.00	1
* CSWCS280	Compression Spring	79.4	27.00	2.80	10.50	1
* CSWCS283	Compression Spring	88.9	19.00	2.00	15.25	1
* CSWCS244	Compression Spring	88.9	19.00	2.24	15.50	1
* CSWCS285	Compression Spring	92.1	17.50	1.80	17.25	1
* CSWCS267	Compression Spring	101.6	17.50	1.60	17.50	1
* CSWCS284	Compression Spring	101.6	17.50	2.50	16.50	1
* CSWCS273	Compression Spring	101.6	27.00	3.15	10.75	1
* CSWCS268	Compression Spring	101.6	33.34	3.55	10.50	1
* CSWCS291	Compression Spring	152.4	19.90	2.80	21.50	1
* CSWCS290	Compression Spring	152.4	22.23	2.24	21.25	1
* CSWCS294	Compression Spring	152.4	35.00	3.15	17.50	1
* CSWCS295	Compression Spring	196.6	22.23	2.00	25.00	1
* CSWCS297	Compression Spring	203.2	25.40	2.25	22.75	1
* CSWCS298	Compression Spring	203.2	25.40	2.80	32.00	1

**Specifications:** Finish – Gold Passivate


\* indicates items standard to the display stands

CSW Products reserves the right to add, amend, or delete sizes without notice.

Tel: +61 3 9729 4700 • Facsimile: +61 3 9729 8744

e-mail: [csw@cswproducts.com.au](mailto:csw@cswproducts.com.au) • website: <http://www.cswproducts.com.au>

# Tension Springs



Part No.	Description	O/A Length	O.D.	Wire DIA	No. per pack
* CSWT6	Tension Spring	25.4	3.50	0.50	1
* CSWT12	Tension Spring	25.4	5.00	0.45	1
* CSWT14	Tension Spring	30.2	3.18	0.63	1
* CSWT28	Tension Spring	30.2	6.35	0.80	1
* CSWT30	Tension Spring	30.2	8.00	0.80	1
* CSWT32	Tension Spring	38.1	5.10	0.71	1
* CSWT34	Tension Spring	38.1	3.18	0.45	1
* CSWT36	Tension Spring	38.1	4.76	0.45	1
* CSWT38	Tension Spring	38.1	4.76	0.50	1
* CSWT40	Tension Spring	38.1	5.56	0.56	1
* CSWT42	Tension Spring	38.1	6.35	0.50	1
* CSWT44	Tension Spring	38.1	6.35	0.56	1
* CSWT46	Tension Spring	38.1	7.14	0.63	1
* CSWT48	Tension Spring	38.1	8.00	0.71	1
* CSWT144	Tension Spring	38.1	8.00	1.25	1
* CSWT50	Tension Spring	38.1	11.10	0.71	1
* CSWT52	Tension Spring	38.1	11.10	1.25	1
* CSWT154	Tension Spring	41.3	12.70	2.00	1
* CSWT54	Tension Spring	44.5	8.00	0.71	1
* CSWT56	Tension Spring	44.5	8.70	0.80	1
* CSWT58	Tension Spring	47.7	3.18	0.45	1
* CSWT60	Tension Spring	47.7	4.76	0.45	1
* CSWT62	Tension Spring	47.7	4.76	0.50	1
* CSWT64	Tension Spring	47.7	4.76	0.63	1
* CSWT66	Tension Spring	47.7	5.56	0.56	1
* CSWT68	Tension Spring	47.7	6.35	0.40	1
* CSWT70	Tension Spring	47.7	6.35	0.56	1
* CSWT72	Tension Spring	47.7	6.35	0.71	1
* CSWT74	Tension Spring	47.7	8.00	0.50	1
* CSWT76	Tension Spring	47.7	9.53	0.80	1
* CSWT78	Tension Spring	47.7	11.10	0.71	1
* CSWT80	Tension Spring	47.7	11.10	1.25	1
* CSWT156	Tension Spring	49.2	12.70	2.00	1
* CSWABS2	Bed Spring	54.3	15.40	2.50	2
* CSWT82	Tension Spring	50.8	6.35	0.71	1
* CSWT88	Tension Spring	50.8	10.32	1.00	1
* CSWT134	Tension Spring	50.8	11.10	1.60	1
* CSWT84	Tension Spring	55.6	4.76	0.40	1
* CSWT158	Tension Spring	55.6	12.70	2.00	1
* CSWT146	Tension Spring	58.8	6.35	0.80	1
* CSWT108	Tension Spring	60.3	8.00	0.80	1
* CSWT110	Tension Spring	60.3	10.32	1.00	1
* CSWT112	Tension Spring	63.5	4.76	0.50	1
* CSWT114	Tension Spring	63.5	4.76	0.63	1
* CSWT116	Tension Spring	63.5	5.56	0.56	1
* CSWT118	Tension Spring	63.5	6.35	0.50	1
* CSWT120	Tension Spring	63.5	6.35	0.71	1
* CSWT126	Tension Spring	63.5	8.70	0.63	1
* CSWT128	Tension Spring	63.5	8.70	0.71	1
* CSWT130	Tension Spring	63.5	11.10	0.71	1


\* indicates items standard to the display stands

CSW Products reserves the right to add, amend, or delete sizes without notice.

Tel: +61 3 9729 4700 • Facsimile: +61 3 9729 8744

e-mail: [csw@cswproducts.com.au](mailto:csw@cswproducts.com.au) • website: <http://www.cswproducts.com.au>

# Tension Springs



Part No.	Description	O/A Length	O.D.	Wire DIA	No. per pack
* CSWT132	Tension Spring	63.5	11.10	1.25	1
* CSWT136	Tension Spring	63.5	12.70	1.25	1
* CSWT140	Tension Spring	63.5	15.90	1.80	1
* CSWT122	Tension Spring	65.0	8.00	0.80	1
* CSWT124	Tension Spring	65.0	8.00	0.90	1
* CSWT86	Tension Spring	66.7	5.10	0.40	1
* CSWT160	Tension Spring	66.7	19.00	2.80	1
* CSWT150	Tension Spring	69.8	11.10	0.90	1
* CSWT162	Tension Spring	73.0	14.30	1.80	1
* CSWABS1	Tension Spring	76.2	15.90	2.50	2
* CSWT148	Tension Spring	76.2	8.00	0.71	1
* CSWT172	Tension Spring	76.2	8.00	0.80	1
* CSWT178	Tension Spring	76.2	10.32	1.00	1
* CSWT142	Tension Spring	76.2	14.30	1.40	1
* CSWT186	Tension Spring	76.2	15.90	2.00	1
* CSWT194	Tension Spring	79.4	14.30	1.40	1
* CSWT198	Tension Spring	88.9	10.32	1.00	1
* CSWT152	Tension Spring	88.9	11.10	1.25	1
* CSWT138	Tension Spring	88.9	11.10	1.40	1
* CSWT200	Tension Spring	88.9	19.00	1.60	1
* CSWT246	Tension Spring	88.9	22.23	2.24	1
* CSWT216	Tension Spring	95.3	9.34	1.00	1
* CSWT206	Tension Spring	95.3	12.70	2.00	1
* CSWT202	Tension Spring	98.4	19.00	2.80	1
* CSWT204	Tension Spring	101.6	9.54	0.90	1
* CSWT196	Tension Spring	101.6	14.30	1.25	1
* CSWT214	Tension Spring	101.6	15.90	2.00	1
* CSWT210	Tension Spring	114.3	8.70	0.63	1
* CSWT212	Tension Spring	114.3	9.54	0.80	1
* CSWT218	Tension Spring	114.3	9.54	1.25	1
* CSWT220	Tension Spring	114.3	11.85	1.00	1
* CSWT222	Tension Spring	114.3	12.70	1.60	1
* CSWT248	Tension Spring	114.3	20.64	2.24	1
* CSWT226	Tension Spring	120.7	12.00	1.40	1
* CSWT224	Tension Spring	120.7	12.70	1.80	1
* CSWT228	Tension Spring	123.8	14.30	1.80	1
* CSWT208	Tension Spring	127.0	4.76	0.56	1
* CSWT270	Tension Spring	127.0	8.00	0.90	1
* CSWT230	Tension Spring	127.0	15.90	2.00	1
* CSWT232	Tension Spring	127.0	20.60	1.80	1
* CSWT234	Tension Spring	130.2	14.30	1.40	1
* CSWT250	Tension Spring	146.0	25.40	3.15	1
* CSWT252	Tension Spring	149.2	25.40	2.24	1
* CSWT236	Tension Spring	152.4	14.30	1.80	1
* CSWT238	Tension Spring	152.4	7.10	0.90	1
* CSWT242	Tension Spring	152.4	9.54	1.00	1
* CSWT240	Tension Spring	165.1	9.54	1.25	1
* CSWT244	Tension Spring	165.1	15.90	1.40	1
* CSWT266	Tension Spring	165.1	19.00	2.24	1
* CSWT268	Tension Spring	171.5	14.30	2.00	1


\* indicates items standard to the display stands

CSW Products reserves the right to add, amend, or delete sizes without notice.

Tel: +61 3 9729 4700 • Facsimile: +61 3 9729 8744

e-mail: [csw@cswproducts.com.au](mailto:csw@cswproducts.com.au) • website: <http://www.cswproducts.com.au>


# Tension Springs



Part No.	Description	O/A Length	O.D.	Wire DIA	No. per pack
* CSWT260	Tension Spring	177.8	27.00	2.80	1
* CSWT264	Tension Spring	190.5	28.60	2.24	1
* CSWT292	Tension Spring	193.7	25.40	3.15	1
* CSWT286	Tension Spring	203.2	20.60	2.24	1
* CSWT288	Tension Spring	215.9	15.90	2.24	1
* CSWT294	Tension Spring	215.9	22.23	2.80	1
* CSWT262	Tension Spring	215.9	27.00	2.00	1
* CSWT296	Tension Spring	244.5	25.40	3.15	1
* CSWT276	Tension Spring	304.8	25.40	2.80	1
* CSWT278	Tension Spring	304.8	27.00	3.15	1
* CSWASP1	Assortment pkt #1	-	-	-	-
* CSWASP2	Assortment pkt #2	-	-	-	-
* CSWATL1	Tension Spring	280.0	10.00	1.00	1
* CSWATM1	Tension Spring	280.0	10.00	1.25	1
* CSWATH1	Tension Spring	280.0	10.00	1.40	1
* CSWATL3	Tension Spring	280.0	12.00	1.25	1
* CSWATM3	Tension Spring	280.0	12.00	1.60	1
* CSWATH3	Tension Spring	280.0	12.00	1.80	1
* CSWATL5	Tension Spring	280.0	16.00	1.60	1
* CSWATM5	Tension Spring	280.0	16.00	1.80	1
* CSWATH5	Tension Spring	280.0	16.00	2.00	1
* CSWATR1	Trampoline Spring	250.0	28.60	3.15	1
* CSWATR2	Trampoline Spring	230.0	28.60	3.15	1
* CSWATS1	Tent Spring	112.00	25.50	5.50	1

**Specifications:** Finish – Gold Passivate

# Horse Float & Door Coil Springs\*



Part No.	Description	Size
CSWHF05	Horse Float Door Spring Long Leg (Right Hand/Left Hand)	13 mm
CSWHF10	Horse Float Door Spring Tandem Long Leg (Right Hand/Left Hand)	16 mm
CSWHF15	Horse Float Door Spring Long Leg (Right Hand/Left Hand)	19 mm

**Specifications:** Material - XK9258S BHP Spring Steel · Finish – Plain  
\* Price on Application

\* indicates items standard to the display stands  
CSW Products reserves the right to add, amend, or delete sizes without notice.  
Tel: +61 3 9729 4700 · Facsimile: +61 3 9729 8744

e-mail: [csw@cswproducts.com.au](mailto:csw@cswproducts.com.au) · website: <http://www.cswproducts.com.au>