


Taper Lock Bush

“Why compete against your supplier when you can be our partner”

The Taper Lock Bush is a tried and proven method for fixing a driven device to a shaft. The simple design allows for easy maintenance, it is a simple easy-on, easy-off process.

Finer Power Transmissions stocks a range of items that are used in conjunction with Taper Lock Bushes, including: sprockets, pulleys and couplings.

Taper Lock Bushes come in a variety of bore sizes, in both metric and imperial.



Bush	A	B	D	Tightening Torque (Nm)	Set Crews Dia. x Len.
1008	35.2	22.3	33.73	5.6	1/4 x 1/2
1108	38.38	22.3	36.92	5.6	1/4 x 1/2
1210	47.62	25.4	44.44	20	3/8 x 5/8
1215	47.62	38.1	44.44	20	3/8 x 5/8
1610	57.15	25.4	53.97	20	3/8 x 5/8
1615	57.15	38.1	53.97	20	3/8 x 5/8
2012	69.85	31.8	66.68	30	7/16 x 7/8
2017	69.85	44.5	-	30	
2517	85.73	44.5	82.55	50	1/2 x 1
2525	85.73	63.5	82.56	50	1/2 x 1
3020	107.96	50.8	101.6	90	5/8 x 1-1/4
3030	107.96	76.2	101.6	90	5/8 x 1-1/4
3535	127	89	122.68	115	1/2 x 1-1/2
4040	146.05	101.5	140.72	170	5/8 x 1-3/4
4545	161.93	114.3	155.7	190	3/4 x 2
5050	177.8	127	170.69	270	7/8 x 2-1/4

Note: 1008 – 3030 require two screws
3535 – 5050 requires three screws